

2123631 - Lock HR data using time-dependent authorization

Version	3	Type	SAP Note
Language	English	Master Language	German
Priority	Correction with medium priority	Category	Program error
Release Status	Released for Customer	Released On	10.07.2018
Component	PA-PA-XX (General Parts)		

Please find the original document at <https://launchpad.support.sap.com/#/notes/2123631>

Symptom

Based on their direct or structural authorization, users are able to access the personal data saved in infotypes and subtypes. However, if the data in the system is no longer actively required by all users, you may want to restrict the additional access for individual users.

This may be the case if the reason for processing the data no longer exists for certain processes but the data is still required for other processes in the system and cannot therefore be destroyed.

Other Terms

SAP ERP, Human Resources Management, Personnel Administration, HR master data, personal data, authorization period, time-dependent authorization, period authorization, authorization check, access authorization

Reason and Prerequisites

In the standard system, it is not possible to lock access to personal data saved in infotypes and subtypes on a time-dependent basis.

Solution

You can add a customer-specific authorization check to the standard SAP authorization check.

By changing the access authorizations, you can revoke the right to use or process old personal data that is saved in infotypes and subtypes. This takes into account that various user roles require authorization periods of different lengths.

To do this, you define a minimum authorization period depending on the type of data (infotype and subtype) and the country grouping. You can extend this minimum authorization period for individual user roles, and assign the relevant roles depending on certain organizational attributes (for example, personnel area, employee group, employee subgroup). The new authorization object P_DURATION ("Authorization Time Periods for HR Master Data") is provided for this.

Activities

To set up the time-dependent locking of personal data, perform the following activities:

1. Definition of user-independent authorization periods at the infotype or subtype level

To restrict the access authorization for infotype data or subtype data, you define a minimum authorization period in months that is valid for all users. You create this default authorization period depending on the country grouping.

You make this setting in the Customizing for *Personnel Administration* under *Tools* -> *Data Privacy* ->

Lock -> Time-Dependent Locking of Data -> Define default authorization periods for infotypes and subtypes.

2. Definition of role-specific authorization periods for user roles

You can enhance the access authorization for individual user roles by defining a role-specific authorization period.

This includes the following substeps:

- For each user role, define an ID for the user-role-specific authorization period (period ID). You make this setting in the Customizing for *Personnel Administration* under *Tools -> Data Privacy -> Lock -> Time-Dependent Locking of Data -> Define IDs for role-specific authorization periods*.
- For each period ID, create an authorization period in months depending on the country grouping. You make this setting in the Customizing for *Personnel Administration* under *Tools -> Data Privacy -> Lock -> Time-Dependent Locking of Data -> Assign role-specific authorization periods to time period IDs*.

3. Maintenance of the user roles

Edit the authorizations and use the time period ID to assign the user role a role-specific authorization period (authorization object P_DURATION ("Authorization Periods for HR Master Data")).

4. Creation of a customer implementation of the Business Add-In HRPADAUTH_TIME

You can use the Business Add-In (BAI) "Time Logic in the PA Authorization Check" to implement a customer-specific time logic in the PA authorization check and thus enhance the standard SAP authorization check.

To do this, create a customer-specific implementation of the BAI and copy the sample implementation class.

You make this setting in the Customizing for *Personnel Administration* under *Tools -> Data Privacy -> Lock -> Time-Dependent Locking of Data -> BAI: Set up customer-specific check for authorization periods*.

Delivery

Import the Support Package for this SAP Note.

Software Components

Software Component	Release
SAP_HRRXX	604 - 604
SAP_HRRXX	608 - 608

Support Package

Software Component	Release	Support Package
SAP_HRRXX	604	SAPK-60488INSAPHRRXX
SAP_HRRXX	604	SAPK-60487INSAPHRRXX

SAP_HRRXX	608	SAPK-60815INSAPHRRXX
SAP_HRRXX	608	SAPK-60816INSAPHRRXX

This document is causing side effects

SAP Note/KBA	Title
2153569	Syntax error in program SAPMP5X0_CE
2199569	CI additional contribution - problems due to tax data (for data destruction or time-dependent read authorization)

This document is referenced by

SAP Note/KBA	Title
2698000	BAPI does not warn the consumer about missing authorization for infotype 0077
2598362	HCM supplement to SAP Note 2590321
2550910	HRAUTH: Consideration of authorization object P_DURATION